

400 FLEXIBLE PAVEMENT

Item 401 Asphalt Concrete Pavements - General

401.03 Materials. Add:

703.05 Coarse Aggregate must be 100 percent crushed.

401.04 Reclaimed Asphalt Concrete Pavement (RAP). Add the following to the second paragraph:

Do not use the RAP contained within the bottom one foot of the RAP stockpile in any asphalt concrete mixes.

401.06 Weather Limitations. Delete the last paragraph and substitute the following:

Do not schedule the placement of any Type 1H asphalt concrete or any surface course with a polymer modified asphalt binder after November 1 unless approved by the Engineer

401.15 Spreading, Finishing and Night Work. Add to the seventh paragraph:

Do not seal gutters within the limits of curb ramps.

401.22 Basis of Payment. Add:

Unless otherwise specified, include the cost of Item 407 – Tack Coat in the respective contract prices for the asphalt concrete intermediate and surface course items.

Item 421 Microsurfacing

421.09 Test Strip. Delete this section.

421.10 Application. Add the following to this section:

Cover all utility castings and inlet grates before application of microsurfacing material. Upon completion of the work, remove protective covers and expose all castings.

Item 448 Asphalt Concrete

448.06 Basis of Payment. Add:

Item	Unit	Description
448	Square Yard (Square Meter)	Asphalt Concrete Surface Course, Type ____